THE KEIO JOURNAL of MEDICINE

Vol. 13, No. 4

December, 1964

AMCHA

CONTENTS

An Active Stereo-isomer (Trans-form) of AMCHA and its Antifibrinolytic	
(Antiplasminic) Action in Vitro and in Vivo Shosuke Окамото,	
Shoichi Sato, Yumiko Takada, and Utako Okamoto	17

Fractionation of Pla	asminogen Activator ar	nd Proactivat	tor in Tiss	ue and Blood	
by Gel Filtra	ationAKIKA	zu Takada,	Yuмiко	TAKADA, and	
		-	UTA	ко Окамото	18

Determination	Blood	Fibrinolytic	Activity	by	Means	of	Gel	Filtration	in
Several	Skin D	icencés							

	American State of the Control of the			150000000000000000000000000000000000000	and the same of th	
VARIATE V	NATION O	A TEXTS A TEXT	ATTABA C	and Himo	CTTT HATTANTO	105

1	72	T.			c .	LI	:	:	1:	~	~**	:+-	T	Va.			٠.,	100		 h	. 1	D1	0.0		Т		- 1	Con	ton	
-	197	TE	CI	\sim	10	-	101	10	m	0 (α	TTS	-5	IP	717	Ia.	FΙX	700	വ			-	25	me	1 - 1	ro	n	on	ten	120

 	 	 	 	 	 				 	 		1	M	JN	EC)	O	нки	00	20	1

Effects of Several Excitants and Depressants on Glutamic Acid and its Metabolites Concentration in Rabbit and Rat Brain.

Contents of Volume 13.



PUBLISHED BY

SCHOOL OF MEDICINE, KEIO UNIVERSITY Shinanomachi, Shinjuku-Ku Tokyo, Japan 童等得你了

The Keio Journal of Medicine

Yoshio Kusama, Editor in Chief

BOARD OF EDITORS

Toyozo Aizawa
Ichiro Akakura
Michinosuke Amano
Seiichi Asano
Minoru Hara
Susumu Harashima
Hideyuki Haruna
Hitoshi Hatano
Takashi Hayashi
Eikichi Hosoya
Torai Iwahara
Keizo Kageyama
Tadayoshi Kobayashi
Tatsuyuki Kudo

Masakazu Kurata Yasuji Kuwabara Wasaburo Maeda Hisakichi Matsubayashi Ittaku Mikata Tadao Mitsui Taici Miura Bunya Nakamura Yasuo Nakamura Kei Nishida Ginjiro Saito Yoshio Sakakura Ken Sambe Shogo Sasaki Hiroshi Sasamoto
Kiyoshi Sekita
Nobukatsu Shimada
Kazuyo Shimai
Yasunobu Suzuki
Hajime Tamura
Tsuneo Tomita
Toshio Toyama
Takeo Ueda
Daizo Ushiba
Itaru Watanabe
Hisao Yamashita
Masaichi Yanagida

The Journal is published quarterly by the School of Medicine, Keio University, and is devoted to the advancement and dissemination of the fundamental knowledge of the medical sciences in an accessible form to the colleagues who have a common interest in the fields outside of the country. The contents consist of the contributions made solely by the members of the School and allied Institutes.

This periodical is issued quarterly, new volume beginning with the January number of each year. Subscription price per annum in advance, including postage, is \$4.00. Remittance should be made by draft or the P.O. money order drawn to the order of Yoshio Kusama, M.D., Editor and remitted through the School of Medicine, Keio University.

All correspondence relating to the Journal should be addressed to the Editor.

THE KEIO JOURNAL of MEDICINE

Vol. 13, No. 4

December, 1964

CONTENTS

An Active Stereo-isomer (Trans-form) of AMCHA and its Antifibrinolytic (Antiplasminic) Action in Vitro and in Vivo Shosuke Окамото,
Shoichi Sato, Yumiko Takada, and Utako Okamoto 17
Fractionation of Plasminogen Activator and Proactivator in Tissue and Blood
by Gel Filtration AKIKAZU TAKADA, YUMIKO TAKADA, and
Uтако Окамото 18
Determination Blood Fibrinolytic Activity by Means of Gel Filtration in
Several Skin Diseases.
Kazuya Yamamoto, Akikazu Takada, and Hitoshi Hatano 19
Effect of Histidian on its Devicesting on the Plance Land Content
Effect of Histidine or its Derivatives on the Plasma Iron Content.
Effects of Several Excitants and Depressants on Glutamic Acid and its Meta-
bolites Concentration in Rabbit and Rat Brain.
Shoji Saito, Yukiko Tokunaga, and Katsuya Kojima 21
Contents of Volume 13.





PUBLISHED BY

SCHOOL OF MEDICINE, KEIO UNIVERSITY Shinanomachi, Shinjuku-Ku Tokyo, Japan